

Profiler (ADCP) in Southwind fiord for one year that will record any underwater landslides that occur there. The research would take place onboard the Government of Nunavut vessel Nuliajuk.

2. Modifications to the original/amended project proposal: Expansion of the study areas in and around the community of Pangnirtung, and use of new equipment such as a drone and an Acoustic Doppler Current Profiler (ADCP)
3. Associated NPC File No: 148488 and 148842; Associated NIRB File No: 13YN021 and 14YN032
4. Location: Qikiqtani Region; [South Baffin, near Pangnirtung and Qikiqtarjuaq]

A complete description of the project proposal reviewed by the NPC can be accessed online using the link below.

The Nunavut Planning Commission (NPC) has completed its review of the above-noted project proposal. The NPC previously reviewed works and activities associated with the current project proposal and a determination was issued on May 31, 2013, July 21, 2014, June 11, 2015, February 28, 2017, and June 18, 2018, which still applies.

In addition, works and activities associated with the current proposal were previously screened by the Nunavut Impact Review Board (NIRB FILE NO.: 13YN021 and 14YN032).

The above-noted project proposal is exempt from screening by the NIRB because the NPC is of the understanding that the proposed slight change of the location in and around Pangnirtung and the use of a drone and an Acoustic Doppler Current Profiler (ADCP) does not change the general scope of the original or previously amended project activities, and the exceptions noted in Section 12.4.3 (a) and (b) of the Nunavut Agreement do not apply.

By way of this letter, the NPC is forwarding the project proposal to the regulatory authorities identified by the proponent. Project materials are available at the following address:

<http://lupit.nunavut.ca/portal/project-dashboard.php?appid=149172&sessionid=>

This decision applies only to the above-noted project proposal as submitted. Proponents may not carry out projects and regulatory authorities may not issue licenses, permits, and other authorizations in respect of projects if a review by the NPC is required.

If you have any questions, please do not hesitate to contact me at (867) 979-3444.

Sincerely,



Goump Djalogue, MCIP, RPP
Senior Planner
Nunavut Planning Commission